**Receiving Report** Batch No: Date: Supplier: Release Note Attached: Yes 🗘 Yes Packing Slip: Yes Waybill Attached: No N/A Yes Shipment Complets
QC6 Inspection
Work Order No Invoice: Cr N/A Cash Receipt: N/A Discrepancies Quantity Quantity Quantity Comments Quantity Part Short Returned Description Received Ordered Number Initials of receiver (if shipment OK) Level 12 Production/Admin: Location Date Received/Costing Initial

H:\FORMS\Purchasing\approved purch\RECREPORT Rev D

## Purchase Order Receipt Listing

Wednesday, May 08, 2013 11:41:01 AM

All amounts are calculated in domestic currency.

All Vendors PO ID PO19753 Receipt Dates from 5/8/2013 to 5/8/2013 All Line Item Types All Item ID/GL/WOs All Rec. Employees All Currencies Grouped by Vendor ID

Purchase Order ID/ Curr Type	Line Nbr/ Insp Req	Project ID	Project ID Reference/ Description/ Cert Std	PO U/M / Stock U/M	Required Date Required Qty	Recv Date/ Recv Emp	Recv Qty (PO U/M)	Cost Per Unit/ Recv Value	Inspected Qty/ Rejected Qty (PO U/M)	MRB Qty/ MRB Reject Qty	Book Amt
VendorID\Vendor Name PO19753	dor Nam		VC-RYS001 RYERSON -M7075T6B5.000XL.0 f	RYERSON INC.	5/3/2013	5/3/2013 5/8/2013	72.9000	\$26.30	0.000	0	\$1,917.16
CAD	No		00 7075-T6 BAR-5.000" -f ::: X 1.000"		72.9000	) DESJ02		\$1,917.16	0.0000	0	
	7		125554 M7075T6B6.000XI.0 f	J.0 f	5/3/2013	5/8/2013	16.0000	\$36.29	0.0000	0	\$580.67
	No		7075-T6 BAR 6.000" f X-1 000"	)0" f	16.0000	DESJ02		\$580.67	0.0000	0	
			125554						Total Received Quantity:	Duantity:	88.9000
								Total	Fôtal Qty to Inspect (PO U/M): Total Reject Quantity: Total Receint Value:	O U/M): juantity: ot Value:	0.0000
								Tôt	Fotal Balance Due Quantity:	Quantity:	0.0000

Total Balance Due Quantity:

# Shipping Order / Bordereau d'expédition

Alloys of Aluminum, Copper, Steet Caudon: Processing of this material may present a physical and or health hazard. See material safety data sheets for further information too d'aluminum, de cuivre, d'actier, Avertissement:	rchandises / Alloys of Aluminum, Copper, Nec Processing of this material may present a hazard. See material safety data sheets fo The calliague d'aluminum, de cuivre, d'acier	u de ma	Packing List/Bordereau on our website at <a href="https://www.Ryerson.com">www.Ryerson.com</a> ,	Pac Date: Our Terms and Conditions, available on ou	Packing List/Borderea Received by/ Reçu Par: Acceptance of goods constitutes acceptance of our Terms and Conditions, available on our website at <a href="https://www.Ryerson.com">www.Ryerson.com</a> ,
	le les les les les les les les les les l	COTE CHAUFFEUR	T ELEVATEUR AVANT COTE	du chenvohauffeur @ VEND DECHARGEMENT AU CHARIO	Customer/Driver Instructions / Commentaires du client/chauffeur: HEURES D'OUVERTURE 7H @ 16H LUN @ VEND DECHARGEMENT AU CHARIOT CFC ET MTR REQUIS A LA LIVRAISON
5-2013 Quel-	6	·		pli par initiale: CK	
<u>_</u>	2 pcs Loc EXP	2	T: 709049	C: 458934	( 0 -PK/WI 122 LINE 1 ) Cntrl: X6FM0021
) UEA	2.00	Pcs:	X 96" UEA	7075-T651 1.000 X 6"	3 5555-6558 PLA AL Qty Comm:2 Order
	pcs Loc EXP	2	T: 714314	C: 176851 pli par initiale: CK	Cntrl: X6FM0019 C: *** Filled by Initials/Rempli
UEA / 3	2 2.00	3333 Pcs:	X 80" = 13.	5-T651 1.000 X 5" y/Qte commandee	Comm:
5,				pli\ <u>war ix</u> itiale: CK	*** Filled by Initials/Rempli
	pcs Loc EXP	59,60 6	T:(709049)=	458934	( ] -BUNDL 382 10A120 / Cntrl: X6FM0018
) UEA	6	Pcs:	X 119.218" 6 UEA	7075-T651 1.000 X 5" Qty/Qte commandee	ty Comm: _6
<u>té expédiée B.O.Qty/En soumance</u>	Oty Shipped/Qté expédiee			Description	Line / # de ligne Item
05/01/2013					
Order Date / Date de commande	Ship Date / Date d'expedition	Approbation de Ship  1' expédition	Ship Approval / £	Pro Bill / Bordereau d'envoi	あ.し
05/06/2013	1-1	[mpos]		Ntr camion PP/tous	NOTRE CAMION
Due Date / Date due	Contact / Personne Certs	Sales / Tax Status / Ventes Statut fisca	Customer # / S	Freight / Fret	Ship Via / Expedier par
Paquets totaux 1	632-3336	1K7	S S	K6A 1K7 HAWKESBURY	HAWKESBURY ON
Total Packages			N STREET	•	
19753			lier a: E LTD.	Ship to/Expedier DART AEROSPACE L'	to/Facturer a:
P.O. / Bon de commande			Š	-0153	200 RUE DU CHEMINOT Phone/Tel (450) 424-
X6-307439	AP	d.S.	QC J7V 5V5	-DORION	
S.O. / Bordereau d'expédition	05/03/13 06:32 CST	Page 1 de 2		1	

L'acceptation des marchandises constitue un consentement a nos termes et conditions, qui sont disponibles sur notre site web <a href="https://www.ryerson.com">www.ryerson.com</a>, ou par votre representant interne, ou par telephone (800) 268-2680.

pour la santé. Pour de plus ample information voir les fiches. le Traitement de ce matériel peut présenter un risque physique et ou Les alliages d'aluminum, de cuivre, d'acier Avertissement:

Acceptance of goods constitutes acceptance of our Terms and Conditions, available on our website at www.Ryerson.com,

or from your sales representative, or by calling (800) 268-2680.

## Shipping Order / Bordereau d'expédition

1270, ABERDEEN STREET DART AEROSPACE LTD. Sold to/Facturer a: 200 RUE DU CHEMINOT Phone/Tel (450) 424-0153 200 RUE DU CHEMINOT

S #

VAUDREUIL-DORION QC J7V 5V5 VAUDREUIL QC J7V 5V5

Page 2

de 2

05/03/13 06:32 CST

S.O. / Bordereau d'expédition

X6-307439

P.O. / Bon de commande

19753

Line /# de ligne Item

HAWKESBURY

ON K6A 1K7

Description

HAWKESBURY

DART AEROSPACE LTD. 1270, ABERDEEN STREET

Ship to/Expedier a:

ON K6A 1K7

Phone/Tel (613)632-3336

Oty Shipped/Oté expédiée B.O.Oty/En souffrance

7915-9998 ENERGY CHARGE

Order Qty/Qte commandee

1.0000 LOT

Pcs:

0

1.00 LOI

Customer/Driver Instructions / Commentaires du client/chauffeur:
HEURES D'OUVERTURE 7H @ 16H LUN @ VEND DECHARGEMENT AU CHARIOT ELEVATEUR\_AVANT COTE CHAUFFEUR
CFC ET MTR REQUIS A LA LIVRAISON

Packing List/Bordereau de marchandises

le Traitement de ce matériel peut présenter un risque physique et ou pour la santé. Pour de plus ample information voir les fiches. Les alliages d'aluminum, de cuivre, d'acier Avertissement: Alloys of Aluminum, Copper, Steel Caution: hazard. See material safety data sheets for further information Processing of this material may present a physical and or health

L'acceptation des marchandises constitue un consentement a nos termes et conditions, qui sont disponibles sur notre site web <a href="https://www.ryerson.com">www.ryerson.com</a>, ou par votre representant interne, ou par telephone (800) 268-2680. or from your sales representative, or by calling (800) 268-2680. Acceptance of goods constitutes acceptance of our Terms and Conditions, available on our website at www.Ryerson.com

Received by/ Reçu Par:

Date:

CERTIFICATE TEST

Sold By:

RYERSON CANADA, INC.

200 RUE DU CHEMINOT

VAUDREUIL-DORION QC J7V 5V5 GST/TPS REG. # 895962561RT0001Y

QST/TVQ REG. # 1019096102 TQ0001

Tel: 450-424-0153 Fax: 450-424-0853

Sold To: (1946)

DART AEROSPACE LTD.

1270, ABERDEEN STREET

HAWKESBURY

Tel: (613)632-3336

Fax: (613)632-4443

P/O No: 19753

Rel :

S/O No: 307439 1

B/L No:

Inv No:

Ship To: (1) DART AEROSPACE LTD.

1270, ABERDEEN STREET

\_\_\_\_\_\_

HAWKESBURY

K6A 1K7

ON

CERTIFICATE of COMPLIANCE

ON K6A 1K7

Cert. No: 307439

Part No.: 55556558

PLA AL 7075-T651

1.000 X 5" X 119.218"

Pcs Wgt

6

ALERIS

Heat Number

458934

Test ID 709049

Control Number

X6FM0018

6

THIS IS ONLY A LETTER OF COMPLIANCE

To Whom It May Concern,

This is to certify that the material supplied as above, conforms to the specifications as outlined in your above order.

AUTHORIZED SIGNATURE

TEST CERTIFICATE

Sold By:

RYERSON CANADA, INC.

200 RUE DU CHEMINOT

VAUDREUIL-DORION QC J7V 5V5 GST/TPS REG. # 895962561RT0001Y QST/TVQ REG. # 1019096102 TQ0001

Tel: 450-424-0153 Fax: 450-424-0853

Sold To: (1946 )

DART AEROSPACE LTD. 1270, ABERDEEN STREET

HAWKESBURY

Tel: (613)632-3336

Fax: (613)632-4443

P/O No: 19753

Rel :

S/O No: 307439 2

B/L No: Inv No:

Ship To: (1) DART AEROSPACE LTD.

1270, ABERDEEN STREET

HAWKESBURY

K6A 1K7

ON

Wgt

CERTIFICATE of COMPLIANCE

ON K6A 1K7

Cert. No: 307439

Pcs

Part No.: 55556558

PLA AL 7075-T651

1.000 X 5" X 80"

CONSTELLIUM

Heat Number

176851

Test ID 714314

Control Number

X6FM0019

2

THIS IS ONLY A LETTER OF COMPLIANCE

To Whom It May Concern,

This is to certify that the material supplied as above, conforms to the specifications as outlined in your above order.

AUTHORIZED SIGNATURE

TEST CERTIFICATE

Sold By:

RYERSON CANADA, INC.

200 RUE DU CHEMINOT

VAUDREUIL-DORION QC J7V 5V5 GST/TPS REG. # 895962561RT0001Y QST/TVQ REG. # 1019096102 TQ0001

Tel: 450-424-0153 Fax: 450-424-0853

Sold To: (1946 )

DART AEROSPACE LTD. 1270, ABERDEEN STREET

HAWKESBURY

Tel: (613)632-3336

Fax: (613)632-4443

P/O No: 19753

S/O No: 307439 3 B/L No:

Inv No:

Ship To: (1) DART AEROSPACE LTD. 1270, ABERDEEN STREET

HAWKESBURY

K6A 1K7

ON

CERTIFICATE of COMPLIANCE

ON K6A 1K7

Cert. No: 307439

Part No.: 55556558

PLA AL 7075-T651

1.000 X 6" X 96"

Pcs 2

Wgt

ALERIS

Heat Number

458934

Test ID

709049

Control Number

X6FM0021

2

THIS IS ONLY A LETTER OF COMPLIANCE

To Whom It May Concern,

This is to certify that the material supplied as above, conforms to the specifications as outlined in your above order. /

AUTHORIZED SIGNATURE

Ryerson

5/3/2013 6:38:43 AM PAGE 1/008 Fax Server

DART AEROSPACE LTD. P.O. - 19753 S.O. - 307439 The companies of the control of the companies of the control of th

> Aleris Aluminum Koblenz GmbH Cari-Spaeter Str.10 56070 Koblenz/Deutschland





INSPECTION CERTIFICATE (EN 10204/3.1) / TEST REPORT / APPROVED CERTIFICATE

NO.: 0373686

SERIAL-NO.:

PAGE:

PURCHASER:

RYERSON CANADA, INC.

3399 AV FRANCIS-HUGHES

CDN LAVAL, QC H7L 5A%

RYERSON CANADA INC.

CONSIGNEE:

3399 FRANCIS HUGHES

CDN LAVAL QC H7L 5A5

709049-2

66763 / 02

7075 T651

ORDER NO. PURCHASER:

PART NO. PURCHASER:

5555-6554 66763 / 02 PLATE AMS-QQ-A-250/12 APR 2007 / 7 7-5-13

ORDER NO. MANUFACTURER/ITEM:

PRODUCT:

SPECIFICATION:

ALLOY/TEMPER:

DIMENSION:

PCS.

GROSS LBS

7.463 7.1.76

LBS PACK-NO 730135

1.000 x 60.50 x

144.50 INS

LOT-NÓ 458934

PACK-DAT: 26.03.12

Aleris Aluminum Koblenz GmbH Carl-Spaeter Str.10 56070 Koblenz/Deutschland



vision that the second will be a second to the second with the second to the second will be second to the second t



INSPECTION CERTIFICATE (EN 10204/3.1) / TEST REPORT / APPROVED CERTIFICATE PAGE LOT: 458934 NO.: 0373886 RESULTS: Mechanical properties: \_\_\_\_\_\_ U.T.S. E.l. Pl. No. Spec. No. Y.S. KST KSI . 68,0 7.0 78,0 Min LT: Max. LT: 75,9 85,4 76,4 85,7 76,1 85,7 12,8 2 A 12,7 1: 3 -3,4 2 A. 76,6 85,9 32,8 75,7 85,3 12,3 2 E 3 A 85,9 76.6 85.9 76.0 85.4 12,7 3 E 12,7 12,5 4 A 75,5 85,3 Chemical composition: in % , remainder Al Cast No.: 4-12-3869 Fe Cu Mn Mg Cr Zn Ti 0,049 0,098 1,691 0,006 2,463 0,196 5,719 0,0397 0,0014 Zr Pb Ni Sn Be Na Li V H2 (\*) Li V H2 (\*) 0,0057 0,0030 0,0060 0,0030 0,0003 0,0000 0,0000 0,0091 0,08
Al Tl Ti+Zr Cu/Mg Fe/Si 2,0 0,045 (\*) = H2 in m1/100 g AL Jm 13-5-13 Other tests: Dimensional check: OK
Surface control: OK US-spec : AMS-STD-2154 TYPE 1 CL.A OK Ultrasonic test: Normative references: LEGIERUNGSNORM/CHEMICAL COMPOSITION STANDARD/COMPOSITION CHIMIQUE AMG-QQ-A-250/12 FESTIGKEITSNORM/MECH. PROP.STANDARD/CARACTERISTIQUE MECANIQUE AMS-QQ-A-250/12 ULTRASCHALLNORM/ULTRASONIC STANDARD/ULTRASONS - NORME AMS-STD-2154 TYPE 1 CL.A

Ryerson

5/3/2013 6:38:43 AM PAGE 3/008

Aleris Aluminum Koblenz GmbH Car-Spaeter Str.10 56070 Koblenz/Deutschland



MANAGEMENT REPORTED BY THE STATE OF THE STAT



INSPECTION CERTIFICATE (EN 10204/3.1) / TEST REPORT / APPROVED CERTIFICATE

NO.: 0373886

LOT: 458934

Electrical conductivity:

Min.: 32,7 Max.: 33,8

%IACS

Result:

Heat treatment:

135 DEGREES C.-16H

4/008 Fax Server

Aleris Aluminum Koblenz GribH Carl-Spaeter Str. 10 56070 Koblenz/Deutschland





TO SECURE TRANSPORTED IN THE ARREST OF THE SECURITY TO SECURE THE SECURITY TO SECURE THE SECURITY TO SECURE THE SECURITY TO SE

INSPECTION CERTIFICATE (EN 10204/3.1) / TEST REPORT / APPROVED CERTIFICATE

PAGE .

CERTIFIED THAT THE WHOLE OF THE SUPPLIES DETAILED HEREON HAVE BEEN MANUFACTURED, INSPECTED, TESTED AND UNLESS OTHERWISE STATED CONFORM IN ALL RESPECTS TO THE RELEVANT SPECIFICATIONS, DRAWINGS AND CONTRACT/ORDER. WE CONFIRM, THAT QUALITY MANAGEMENT SYSTEM OF ALERIS ALUMINUM KOBLENZ GMBH IS IN ACCORDANCE WITH DIN EN ISO 9001 AND EN 9100 IN THE RELEVANT VALID VERSION AND CERTIFIED BY AN ACCREDITED 3RD PARTY.

MADE IN THE FEDERAL REPUBLIC OF GERMANY

Enclosures:

Koblenz, the 27.03.12 PS

D'Altri

Quality assurance

Aleris Aluminum Koblenz GmbH

5/3/2013 6:38:43 AM PAGE 5/008 Fax Server

P.O. - 19753 s.o. - 307439DART AEROSPACE LTD. The second of the companies where a second of the second o





### CERTIFIED TEST REPORT

Constellium Rolled Products Ravenswood, LLC

LAVAL

RYERSON % INTEGRIS METALS, LTD 3399 FRANCIS HUGHES CM CANADA

RYERSON - CANADA 161 HE WEST MALL CORP A/P ETOBICOKE M9C 4V8

CM CANADA

H7L5A5

SERIAL#: 20120222311801 PAGE AN 311801 4075 CORDER NO. N. ITEM INCLUSION RYERSONCAN CERTIFICATION "Consiellium Rolled Products, hereby certifies that metal 210-514579 LENGTH shipped under this order has been inspected and found in CLAD. YEMPER GAHCE conformance with the requirements of the applicable 144.500 00000 60.500 7075 00 T651 specifications as indicated herein. Any warranty is limited to that shown on Constellium Rolled Products' standard Garreral Terms and Conditions of Sales. Test reports are DIST. AEROSPACE/COMM. on file, subject to examination." RAVENSWOOD, WY 26164 USA CUSTOMER SPECIFICATION AMS-QQ-A-250/12 PART NUMBER DATE SHIPPED BA. NUMBER 02/24/12 55556554 WEIGHT SHIPPED 311800 GOVT. CONTRACT NO. NO. OF PIECES 1,820

1.71	теет	NO. OF	ULTIMATE	STRENGT	H K.S.I.		YIELD ST	r=ENGTI	k.s.l.		ELONG	AT ON X			ND 2		
LO I NUMBER	DIRECTION	TESTS	MIN.		MAX.		MIN		MAX.		MIN.	!	MAX.	M 3	[N	MAX	
176851	LT	2	**** T 81.5		82.8		71.4		72.8	* * * :	* .1.0		3.0				
A11 ı	materi	1 c	ntaine	din	lot	176	851 v	ras	cast	ạnd Li	maru	(fact	tured	l in	the	USA	•
ALL	отѕ о	N TH	S CERT	IFIC	ATION	I AL	so co	)%F0	RM TO	) /H	E FOL	L þw	(NG F	SEQU	IREM	ENTS	
		AL	O CONF	ORMS	то #	MS-	4045	JAN	D AST	ΓM №	209-1	. o !					
Ô	gm 13.5	13	50	lus l	3					•		:					
			l							,							
										1		į			. '		
	SILICO	N	IRON	COF	PER	MANG	ANESE	MAGN	IESIUM	CHRON	AIUM	Zli	AC .		NIUM	OTH	
G ALLOY			M.N. MAX.	MPOS	MAX 1110	MIN. N	MAX.	MIN.	MAX.	MIH.	₩AX.	MIN.	MAX.	MIN.	MAX.	EACH MAX.	MA
COM	l`														, ,		
m				ــــــــــــــــــــــــــــــــــــــ	L	<b></b> -	ALLE	AL JUIN FIF	MAINDER	<del></del>	J	<del></del>	_l				





### CERTIFIED TEST REPORT

Constellium Fiolied Products Ravenswood, LLC



RYERSON % INTEGRIS METALS, LTD 3399 FRANCIS HUGHES LAVAL

CM CANADA

H7L5A5

The same of the same and the same of the s

RYERSON - CANADA 161 HE WEST MALL CORP A/P ETOBICOKE

CM CANADA

M9C 4V8

									·				
RYERSONCA	N 3	11801	407	'5	. [1	INCLUS	101	SERIAL#:	20120222311361	PAGE	2	<u>OF</u>	_3
CUSTOME:H PUHCHASE	ORUEH	NO. & IT(.M		İ	1	Constell	um ORD	ER NO.	CERTIF	ICATION			
714314-1					:			4579	"Constellium Fielled Products	hereby cert	ifies t	hat me	tal
ALLOY	CLAD.	TEMPUR		GA	UGE	WID	TH'	LENGTH	shipped under this order has b	een inspecte	ed an	d found	in i
7075	00	T651	- }	1.	000	00 60	.50	0 144.500	conformance with the requir	ements of	the	applical	ble
ITEM OPDERED			: '						specifications as indicated her to that shown on Constellium	em. Amy wa Rolled Pro	ducts	standa	ard
DIST. AER	OSPA	ACE/COM	IM.						Genera: Terms and Conditions	of Sales.	Γest r	eports a	are
							- 1		on file subject to examination.				
CUSTOMER SPECIFICA	MOIT								Constellium Rolled Pro	ducts Raye	nswo	od, LL	Ç
AMS-QQ-A-	250	/12							Constellium Rolled Pro Rt 2 South, P.O. E	Century Ho SOX 68	ad		
PART NUMBER			B/L I	NUMB	ĒΝ	!		DATE SHIPPED	RAVENSWOO	D, WV 2616	4 USA	4	
55556554				İ	31	1800		02/24/12	1 orderes 1	E Sta			
WEIGHT SHIPPED	NO.	OF PIECES		GOV	r. CONT	RACT NO.			Houney J. Felly 1,aborstory	Manage			
1,82	20		. 2						noticy of relatives				

LOT	TEST	NO. OF	UI	TIMATE	STRENG	TH K.S.I.	1	YIELD S	TRENGTH	K.S.I.	i	SEONO	EVEOUVE	ń		OND ?		
LOT NUMBER	DIRECTION	TESTS		MIN.		MAX.		MIN.		MAX.		אינו.		MAX.	M:	I N	MAX	
176851	CR=	0.2	ก	FE: 7N:	= 0. = 5.	13 52	CU	= 1.5 = 0.0	50 02	DSITI MN= ZR= : .15	. 0.4 . 0.4	10		= 2.6 Maine	}			
											1		1					
	go	4 35	13										!					
			:								. :					•		
							i I		The second secon		· ·		·					
				,				4			:	٠.	t :		7			
	į	1	1						1									
1	SILICO	) NC	IRON	N	COI	PPLH	MANG	ANESE	WAGN	ESIUM	CHRO	MUM	ZII	~ <del>~~~</del>		MUIM	OTH	
H VILLOY	MIN.	MAX.	MIN.	MAX.	MIN.	MAX.	MIN.	MAX.	MIN.	MAX.	Mist	MAX.	Mito.	MAX.	MIN.	MAX.	EACH MAX.	Ň



1,820



YEAR OF THE COURSE OF THE WAR WAS A STATE OF THE STATE OF

### CERTIFIED TEST REPORT

Constellium Rolled Products Ravenswood, LLC



RYERSON % INTEGRIS METALS, 3399 FRANCIS HUGHES

LAVAL CM CANADA

RYERSON - CANADA 161 HE WEST MALL CORP. A/P ETOBICOKE

M9C 4V8

CM CANADA

H7L5A5 RYERSONCAN 311801 4075
CUSTOM R PURCHASE OHDER NO. & TITEM INCLUSION SERIAL#: 20120222311801 PAGE CERTIFICATION 714314-1 210-514579 \*Constellium Foiled Products, hereby certifies that metal TEMPER GAUGE TENGTH shipped under this order has been inspected and found in 7075 00 T651 1.00000 <u>60.500 144.500</u> conformance with the requirements of the applicable ITEM ORDERED specifications as indicated herein. Any warranty is limited to that shown on Constellium Rolled Products' standard DIST. AEROSPACE/COMM. General Terms and Conditions of Sales. Test reports are on file subject to examination." CUSTOMER SPECIFICATION Constellium Rolled Products Ravenswood, LLC Rt 2 South, Century Road P.O. BOX 68 RAVENSWOOD, WV 26164 USA AMS-QQ-A-250/12 PART NUMBER BA NUMBER DATE SHIPPED 55556554 311800 02/24/12 NO. OF PIECES WEIGHT SHIPPED GOVT, CONTRACT NO.

LOT TEST	NO. OF	ULTIMATE'S	PRENGTH K.S.I.	YIELD STA	ENGTH K.S.I.	ELONGAT	ON %	COND	% IACS
NUMBER DIRECTIO	N TESTS	MIN,	MAX.	MIN.	MAX.	MiN.	MAX.	MIN	MAX
THIS TEST I APPROVAL OF THE RECORD	F   THE	LABORAT FALSE,	GRY OR AL	UTHORIZEI GUS, OR F	QUALITY RAUDULEN	DELEGATE STATEM	E. ENTS OR		
THE CERTIF	CATE	MAY BE	PUNISHED	AS A FEL	ONY UNDE	FEDERA	LAW.		
CHEMISTRIE		!			ļ				
WHEN FRACT	i .	1		l' l	:	ļ	599.		
WHEN TENSI	!		İ		1	3537.	:		
Mercury is nor any of	not	a normal compound	contami s were u	nant in a tilized i	luminum n the ma	alloys am nufactur	nd neit of ou	her mer ir produ	cury ct.
Jr. 5-13		END	GE CERTI	FICATION'					
SILICO	)N	ION	COPPER	MANGANESE	MAGNESIUM CH	HOMIUM	7INC	TITANIUM	OTHERS
C ALLOY MIN.	MAX. N	IIN. MAX.	MIN. MAX. N	MAX. MI	N. MAX. MI	I NAX MI	. MAX.	MIN. MAX.	EACH TOTAL
SEE ACTUAL	CHEM	ICAL COM	POSITION	A) IMMNI	HEMAINDEH				

### optimus

Contrôles non destructifs Non destructive examinations 915 St. Charles Street St. Lambert, Quebec J4P 2A2 Tel.: (450) 671-0220 Fax: (450) 466-4158

### RAPPORT D'ESSAI / INSPECTION REPORT

RYERSON CANADA 3399 FRANCIS HUGHES LAVAL

່, ດນ

H7L 5A5 CERTIFICAT DE CONFORMITÉ

Je certifie par la présente que les items énumérés ci-dessous ont été contrôles selon les spécifications indiquées telles que requises aux termes du contrat et/ou du bon de commande et que les résultats notés représentent les indices qui peuvent être détectés par la méthode utilisée.

MDN-Assurance qualité DND-Quality-assurance

MDT-Accréditation 39-91

DOT-Approval 39-91 DATE

COMMANDE NO.

05 MAR 2012

ORDER NO.

3780

RAPPORT NO. REPORT NO.

200152

CERTIFICATE OF CONFORMANCE

I hereby certify that the items listed below have been examined in accordance with the specifications indicated as requested by contract conditions and/or purchase order and that the results noted represent indications detectable by the method used.

L'entretien décrit a été effectué selon les normes applicables de navigabilité.

The maintenance described has been performed in accordance with the applicable standards of Airworthiness.

specification(s)

ANS-STD-2154-05

CLASS A

NO. DE LA PIECE PART NUMBER

NO. DE MOULE DIE NUMBER

DESCRIPTION

QTÉ VÉRIFIÉE

AVEC INDICES SANS INDICES QTY. TESTED WITHOUT INDICATIONS WITH INDICATIONS

RAW MAT'L

DWG:

H.T.

MATL: 7075 00-A-250/12 TECH #: QP-9.7.1/OUT-IM-00-1

1.00 X 60.5 X 144.5.

HEAT/LOT# 176851.

SOURCE ITEM# 5555-6554.

REF: 29D82048 RECEPT.

2

2

Ø

05 MAR 2012

DATE

STAMP

LEVEL III

1-BERNARD H BILODEAU



Dart Aerospace Ltd. 1270 Aberdeen Street Hawkesbury, ON K6A 1K7

Tel: 613 632 9577 Fax: 613 632 1053

### **PURCHASE ORDER**

### Purchase Order ID PO19753

Purchase Order Date 5/01/13 PO Print Date 5/01/13

Page Number 1 of 1

Order From:

VC RYS001

RYERSON INC.

200 DU CHEMINOT

VAUDREUIL, QUEBEC J7V 5V5

Contact Name

Vendor Phone

450-424-0153

Vendor Fax

450-424-0853

Vendor Account Nbr

Buyer

Requisition Nbr

Tax Resale Nbr

**Terms** 

Currency

**FOB** 

Chantal Lavoie

10127-2607

Net 30 CAD

Destination-Collect

Ship To:

2

DART AEROSPACE LTD

1270 ABERDEEN

HAWKESBURY, ON K6A 1K7

CANADA

Line Nbr Reference **Revision ID** Vendor Part Number Description/ Mfg ID

Reg Date/ Taxable Unit of Measure

Req Qty/

f

Ship Method

**Unit Price** 

Extended Price

M7075T6B5.000X1.000

7075-T6 BAR 5.000\*X

1.000"

Yes

Yours ppd

Yours ppd

\$26.4946

\$1,950.00

Special Inst:

MATERIAL: 7075-T6 OR

T651/T6510/T6511/T62 ALUMINUM BAR AS PER AMS-QQ-A-225/9 OR AMS 4122/4123/4186/4187 OR PER AMS-QQ-A-200/11 OR QQ-A-250/12

**CUT FROM PLATE** 

M7075T6B6.000X1.000

7075-T6 BAR 6.000" X 1.000"

16.00

\$36.5625

\$585.00

Yes

Special Inst.

MATERIAL: 7075-T6 OR

T651/T6510/T6511/T62 ALUMINUM BAR AS PER AMS-QQ-A-225/9 OR AMS

4122/4123/4186/4187 OR

PER AMS-QQ-A-200/11 OR QQ-A-250/12

**CUT FROM PLATE** 

\$2,535.00

MATERIAL CERTIFICATION REQ'D UPON DELIVERY

No substitution or deviation without consent.

Certificate of Conformity or Material NO

Certification required

Change Date: 5/01/13

Change Nbr: